



樱花饰材 装扮空间
无醛饰界 自然安心

Craftsman's Spirit



SAKURA

樱花新材料

3A板 / 饰面板 / 背衬板 / 铝塑板 ...



櫻花饰材 装扮空间

Sakura Decorate

无醛饰界 自然安心

Natural & Relieved

江西樱花新材料有限公司隶属于泓泰集团，是一家专业从事3A板/3A饰面板/环保饰面板/背衬板/铝塑板等新材料开发和生产的现代化企业。

Jiangxi SAKURA New Materials Co., Ltd. is a modern enterprise affiliated to Hongtai Group, which is specialized in manufacturing and developing new building materials such as Environmental Decoration Panel, Backing Panel and Decorative Backing Panel etc.

公司简介

COMPANY PROFILE



公司坐落于江西省南昌市凤凰山工业园（南安公路6公里处），占地面积200余亩，拥有专业化厂房面积30000平方米，年生产销售SAKURA樱花新材料200余万平方米。

公司配备先进水平的化成、涂装和复合板生产设备，严格执行ISO9001标准和质量管理程序，遵循“不合格原材料不使用，不合格过程产品不转序，不合格最终产品不出厂”的质量“三不”原则。产品经国家建筑材料测试中心检测，全部指标达到或超过相关标准。

长期以来，公司与研究机构建立技术合作，密切注视相关新材料发展的新动向，致力于拓展新材料产品的延伸应用。SAKURA樱花建立了全国的销售网络，与开发商、装饰公司、设计院所、石油、电力、电信、银行等多个行业建立了战略合作关系。

Jiangxi SAKURA New Materials Co., Ltd. is located in Phoenix Mountain Economic Development Zone in Nanchang city, covering an area over 130000 square meters and owning the specialized workshop around 30000 square meters. The annual output of SAKURA New Building Materials reaches 2,000,000 square meters.

Our company has advanced production lines for chemosynthesis, coating and compounding. It strictly executes ISO9001 standard and quality management system and constantly abides the principle of “Never use unqualified raw materials, Never pass any unqualified semi-finished products in the process of production, Never allow unqualified products leave factory”. Sakura products had been tested by National Construction Material Test Center, and each property has reached or exceeded the national related standard.

Focus on the developing trend of new building materials in the market in the long term, SAKURA have established cooperation relationship with research institutions to develop the related materials and devoted itself to expand the extension application of new building materials. SAKURA has established strategic relationship with developer, design institutions, decoration company and different industries, such as, petroleum, electric power, telecom, bank etc.



环保饰面板是将金属复合板基层处理后在其表面热压贴覆一层环保装饰膜的新型环保装饰板材。

Environmental Decoration Panel is a kind of new environmental protection decorative building material covered by a layer of environmental protection decorative film on the surface by hot-press technology, after treatment for metal composite panel as base material.

02

3A饰面板

SAKURA DECORATIVE 3A PANEL




3A饰面板是一种以三层全铝结构板材为基材，正面贴覆具有装饰性和保护性的彩纹膜的新型环保装饰板材。

Decorative 3A Panel take three layer All-Aluminum structure panel as base material, and cover a decorative and protective colored grain film on the top side surface.

03

3A板

SAKURA 3A PANEL



3A板由三层铝结构复合而成，是一种集不燃、耐腐、平整、轻质高强、易加工于一体的生态建筑装饰材料。

3A Panel is a kind of ecological building material compounded by three layer Aluminum structure with the advantage of fireproof, anti-corrosion, flatness, Light weight & High strength and easy process.

SAKURA ENVIRONMENTAL DECORATION PANEL

环保饰面板



环保饰面板是将金属复合板基层处理后在其表面热压贴覆一层环保装饰膜的新型环保装饰板材。

SAKURA Environmental Decoration Panel is a kind of new environmental protection decorative building material covered by a layer of environmental protection decorative film on the surface by hot-press technology, after treatment for metal composite panel as base material.

SAKURA

环保饰面板是将金属复合板基层处理后在其表面热压贴覆一层环保装饰膜的新型环保装饰板材。

SAKURA ENVIRONMENTAL DECORATION PANEL

产品参数

Products Data

BASIC PARAMETERS

基本参数

BASE MATERIAL

基材组成

铝塑复合板
Aluminium Composite Panel

SURFACE COATING

表面涂层

环保饰面膜
Environmental Protection Decorative Film

COLOR

产品颜色

数十种颜色可供选择
Dozens of Colors are available

SIZE

产品尺寸

1220*2440mm（其他特殊规格可由供需双方商定）
3x1220x2440mm (Non-standard sizes are available according to customer's request)

THICKNESS

产品厚度

3mm、4mm

FIRE-RESISTANCE CLASS

防火等级

B1

其不仅具有金属复合板本身的高平整度、经严苛抗刮磨和优越耐火防潮测试等性能优势，且拥有表面环保覆膜的纹理丰富逼真、凹凸感和立体感强、自然与艺术感显著等特点。在广泛使用天然饰面的高档家装、写字楼、商业空间、医院、星级酒店、机场地铁等内装领域有明显的竞争优势。

Environmental Decoration Panel owns not only the performance advantages of metal composite panel itself, such as ultra-high flatness, super scratch resistance and superior fire & moisture resistance but also the advantage of environmental protection decorative film, such as rich & realistic texture, strong concavo-convex and three-dimensional sense, more natural and stronger artistic sense features. It has superior competitive advantages in widely using for high-end home decoration, office buildings, commercial space, hospitals, star hotels, airport and subway etc.

ADVANTAGE

产品性能优势



(1) 无甲醛，即装即住

环保饰面板产品健康环保，生产材料、工艺均为零毒性挥发，不含甲醛、苯、VOC等有害气体，无论是新房装修还是旧房改造，确保家居空气环保安全，用心诠释绿色环保品质，打造健康安全的室内空间。



(3) 耐湿热，防潮防霉变

环保饰面板能够有效降低外界环境温度、湿度变化造成板材膨胀收缩的影响，抵御潮水汽，抑制细菌、霉菌的滋生，进一步降低细菌感染可能导致的危害。



(5) 高强度，高平整度

多层复合结构使环保饰面板具有出色的刚性重量比，性能更加稳定，即使板材尺寸很大也能达到理想的平直度。



(2) 高阻燃，符合消防要求

环保饰面板的主要材质均属难燃物质，完全满足防火标准要求。



(4) 抗变形，抗冲击

环保饰面板能以较小的重量获得较大受力，表面的硬质成分能够保护表面免受所伤，其抗变形和抗冲击能力显著区别于传统墙饰板材。



(6) 易安装，易保养

环保饰面板多种安装方式及其精细的施工性使之可配合设计人员创造各种造型变化；使用中性清洁剂直接擦洗或用水直接冲洗，清洗后使板材长久如新。



Non-formaldehyde & can be used immediately after installation.

Environmental Decoration Panel is environment-friendly and healthy. There is zero toxic volatilization no formaldehyde, benzene, VOC and other harmful gases in the raw materials and during the production processes. No matter decorating new home or renovating old buildings, SAKURA Environmental Decoration Panel ensures the safety of air indoors to achieve the real environment-friendly, healthy and safe interior space.



Heat & Humidity Resistance, Moisture-proof & Mildew-proof

Environmental Decoration Panel can effectively reduce the panel expansion shrinkage caused by external environment temperature and humidity changes to protect against the growth of mycete & bacteria and minimize the harm caused by bacterial infection.



High Strength, Superior Flatness

With multi-layer composite structure, SAKURA Environmental Decoration Panel has excellent weight-rigidity ratio and won't shear easily. The panel will keep high straightness even if the size of panel is very big.



High Fire-Resistance & Meet Fire Protection Requirements

All the main materials of SAKURA Environmental Decoration Panel are fire-retardant that completely meet fire-protection requirements.



Anti-Deformation and Impact Resistance

Environmental Decoration Panel could bear the maximum stress with minimum weight, and the panel's hard composition can protect the surface from damage. Its anti-deformation and impact resistance ability is far beyond traditional wall decoration panel.



Easy to install and maintain

There are many kinds of available installation methods. Utilize the superior constructability of SAKURA Environmental Decoration Panel, designers could create various shapes. The panel looks as good as new after flushed directly by water or by neutral detergent.



HOME & INTERIOR DECORATION



SAKURA 环保饰面板的木纹经由知名设计师操刀指导,其纹理丰富逼真、凹凸感和立体感精细,漂亮美观,引人注目,别出心裁的精致感是油漆、墙纸、瓷砖、石材、木材的理想换代产品

SAKURA Environmental Decoration Panel's wood grain is designed by famous designer, which is rich & realistic texture, strong unevenness and three-dimensional sense, beautiful and attractive. It is an ideal replacement for paint, wallpaper, tile, stone and wood.

APPLICATIONS

家装内装应用场景

HOME & INTERIOR DECORATION



APPLICATIONS

家装内装应用场景



简洁的线条，现代严选材质的结合和不同颜色搭配是现代都市设计风格的主要诉求。SAKURA环保饰面板，给你提供一个愉悦、雅致氛围的室内空间。

Simple lines, modern combination of different materials and different colors are the main demand of modern city style. SAKURA Environmental Decoration Panel provides you a pleasant, elegant atmosphere for interior space.


CONSTRUCTION INTERIOR DECORATION APPLICATIONS

工装内装应用场景



采用精挑细选的环保材料，在人与物之间建立起强大而富有感情的桥梁，从细节上缔造精致的奢华之感。

Using well-chosen pure natural material, build a strong and emotional bridge between people and things, create subtle luxury sense from the details.





工装内装应用场景



CONSTRUCTION INTERIOR DECORATION APPLICATIONS

工装内装应用场景



DECORATIVE 3A PANEL

3A饰面板



3A饰面板是一种以三层全铝结构板材为基材，正面贴覆具有装饰性和保护性的彩纹膜的新型环保装饰板材。

Decorative 3A Panel take three layer All-Aluminum structure panel as base material, and cover a decorative and protective colored grain film on the top side surface.

SAKURA

3A饰面板是将金属复合板基层处理后在其表面热压贴覆一层环保装饰膜的新型环保装饰板材。

DECORATIVE 3A PANEL

产品参数

Products Data

BASIC PARAMETERS

基本参数

BASE MATERIAL

基材组成

合金铝板
Alloy Aluminum Panel

SURFACE COATING

表面涂层

环保饰面膜
Environmental Protection Decorative Film

COLOR

产品颜色

数十种颜色可供选择
Dozens of colors are available

SIZE

产品尺寸

3*1220*2440mm（其他特殊规格可由供需双方商定）
3x1220x2440mm (Non-standard sizes are available according to customer's request)

THICKNESS

产品厚度

3mm

FIRE-PROOF LEVEL

防火等级

A2

3A饰面板是一种以三层全铝结构板材为基材，正面贴覆具有装饰性和保护性的彩纹膜的新型环保装饰板材。在具备A2级防火不燃，轻质高强，耐腐平整等性能优势的同时，拥有表面环保覆膜的纹理丰富逼真、凹凸感和立体感强等特点。适用于高档家装、写字楼、商业空间、医院、星级酒店、机场地铁等内装领域。

Decorative 3A Panel take three layer All-Aluminum structure panel as base material, and cover a decorative and protective colored grain film on the top side surface. It owns not only the advantage of A2 Fireproof Class, Light weight & High strength and Corrosion Resistance but also the advantage of environmental protection decorative film, such as rich & realistic texture, strong concavo-convex and three-dimensional sense. It is suitable for high-end home decoration, office buildings, commercial space, hospitals, star hotels, airport and subway etc.

ADVANTAGE

产品性能优势



(1) 轻质高强

3A饰面板材质轻盈，减少了建筑结构的基础负荷，为高层建筑外装提供了良好的选择条件。



(2) A2级防火

全铝结构，防火无忧，符合燃烧性能等级GB 8624-2012中A2的规定。



(3) 物美价廉

由于采用三层铝复合结构，相对于同等厚度的铝单板、铝塑板生产成本大大降低，节约建筑成本，降低综合造价。



(4) 易安装，易保养

3A饰面板多种安装方式及其精细的施工性使之可配合设计人员创造各种造型变化；可使用中性清洁剂直接擦洗或者用水直接冲洗，清洗后使板材长久如新。



(5) 板面平整

采用热压复合工艺，板面平整美观，结构稳定；



(6) 无甲醛，即装即住

健康环保，生产材料、工艺均为零毒性挥发，不含甲醛、苯、VOC等有害气体，无论是新房装修还是旧房改造，确保家居空气环保安全，真正实现绿色环保品质，打造健康安全舒适的室内空间。

ADVANTAGE



Light Weight & High Strength

Decorative 3A Panel is light, which reduces the foundation load of the building structure and provides a good choice for the exterior decoration of high-rise buildings.



Class A2 fire-proof

All aluminum structure, Superior fire-resistance, meet the combustion performance request of Fire Class A2 as per standard GB 8624-2012 (international standard).



Good Quality and Reasonable Price

Due to the application of three-layer Aluminum composite structure, compared with the same thickness of Solid Aluminum Panel, Aluminum Composite Panel, the production cost greatly reduced, As a result, the construction costs are saved and the overall cost are reduced.



Easy to Install and Maintain

There are many kinds of available installation methods. Utilize the superior constructability of Decorative 3A Panel, designers could create various shapes. The panel looks as good as new after flushed directly by water or by neutral detergent.



Flatness

Adopting hot-pressing compound technology, the panel surface is smooth and beautiful, and the structure is stable.



Non-formaldehyde & can be used immediately after installation.

Environment-friendly and healthy. There is zero toxic volatilization no formaldehyde, benzene, VOC and other harmful gases in the raw materials and during the production processes. No matter decorating new home or renovating old buildings, SAKURA Environmental Decoration Panel ensures the safety of air indoors to achieve the real environment-friendly, healthy and safe interior space.

HOSPITAL APPLICATION

医院应用场景



SAKURA-3A饰面板能有效降低外界温度、湿度变化造成板材膨胀收缩的影响，抵御潮湿水汽，抑制细菌、霉菌的滋生，追求进一步降低细菌感染可能导致的危害。

SAKURA Decorative 3A Panel can effectively reduce the panel expansion shrinkage caused by external environment temperature and humidity changes to protect against the growth of mycete & bacteria and minimize the harm caused by bacterial infection.

HOSPITAL APPLICATION

医院应用场景





HOSPITAL APPLICATION

医院应用场景

SAKURA3A饰面板，防火防水防污，简洁温馨，既高效又易清理，即使再密集的人流也不用担心就医的环境问题。

SAKURA Decorative 3A Panel has the advantages such as Fire-proof, waterproof and anti-fouling, it is simple and warm, high efficient & easy to clean, Don't worry about the environmental problems of medical treatment even in the most crowded area.

scenes to be used

HOSPITAL APPLICATION



医院,可能是每个人都不想去,但又免不了偶尔要去的场所。正如健康是我们需要精心呵护的生命之花,现在的医疗环境。更加注重温馨,生活化氛围的打造。SAKURA 背衬饰面板,具有防火、防水、易清洁等特性,帮助您打破传统医院令人紧张焦虑的空间氛围,创造现代、舒适、温馨的就医环境。

Hospital is a place where everyone may not want to go, but must go occasionally. Just as health is the flower of life that we need to take good care of, the current medical environment pay more attention to warmth and life atmosphere. SAKURA Decorative Back Lining Panel is fireproof, waterproof, easy to clean ect, it can help you break the traditional hospital tension and anxiety of the space atmosphere, and create a modern, comfortable, warm medical environment.



DECO

SAKURA3A饰面板所用材料、工艺均为零毒性挥发，不含甲醛、苯、VOC等有害气体，为您打造一个绿色健康的室内空间。

SAKURA Decorative 3A Panel use the materials and techniques with non-toxic volatilization, free from harmful gases such as formaldehyde, benzene and VOC, to create a green and healthy indoor space for you.



HIGH-END CONSTRUCTION DECORATION APPLICATION

高档工装应用场景

HIGH-END CONSTRUCTION DECORATION APPLICATION

高档工装应用场景

利用精美绝伦的设计手法,加上严苛选择的装饰材料,契合消费者的审美需求,突出餐饮空间的创新特色,这已经成为餐饮空间的设计趋势。SAKURA 产品在商业空间的卓越品质有目共睹,相信未来会助力更多设计师突破灵感,完成他们的奇思妙想。

By using of exquisite design techniques, coupled with high-quality decorative materials to meet the consumers' aesthetic needs, highlight the innovative characteristics of catering space, which has become the design trend of catering space. The outstanding quality of SAKURA products in the commercial space is obvious to all. It believes that in the future, SAKURA products will help more designers to break through their inspiration and complete their fantastic ideas.






高档工装应用场景



3A PANEL

3A板



3A板由三层铝结构复合而成，是一种集不燃、耐腐、平整、轻质高强、易加工于一体的生态建筑装饰材料。

3A Panel is a kind of ecological building material compounded by three layer Aluminum structure with the advantage of fireproof, anti-corrosion, flatness, Light weight & High strength and easy process.

SAKURA

3A板由三层铝结构复合而成，是一种集不燃、耐腐、平整、轻质高强、易加工于一体的生态建筑装饰材料。

3A PANEL

产品参数

Products Data

BASIC PARAMETERS

基本参数

BASE MATERIAL

基材组成

铝复合板
Aluminium Composite Panel

SURFACE COATING

表面涂层

双面PET
Double side polyester coating

COLOR

产品颜色

双面（象牙白/深灰色）
Double side (Ivory White/Dark Grey Metallic)

SIZE

产品尺寸

1220*2440mm（其他特殊规格可由供需双方商定）
3x1220x2440mm (Non-standard sizes are available according to customer's request)

THICKNESS

产品厚度

3mm

FIRE-RESISTANCE CLASS

防火等级

A2

3A板由三层铝结构复合而成，是一种集不燃、耐腐、平整、轻质高强、易加工于一体的生态建筑装饰材料。
它采用全铝结构，A2级防火不燃，表面均匀分布3D点阵波纹，视觉上具有精致的立体美感，面板辊涂严选涂层，具有稳定的耐候性及自洁性。
可广泛应用于：玻璃幕墙背衬、光伏背衬、家具用材、顶墙内装饰、工业用材等.....

3A Panel is a kind of ecological building material compounded by three layer Aluminum structure with the advantage of fireproof, anti-corrosion, flatness, Light weight & High strength and easy process. Since it adopts All-Aluminum structure, Fireproof performance can reach Fire Class A2. Evenly distribute 3D lattice ripple on the surface to create a unique three-dimensional beauty visually. The top side of panel is roll-coated with high-quality coating, which has superior weather resistance and self-cleaning property. SAKURA Back Lining panel can be widely used for glass curtain wall back lining, photovoltaic back lining, furniture, interior decoration, industrial materials etc.

ADVANTAGE

产品性能优势



(1) 物美价廉

由于采用三层铝复合结构，相对于同等厚度的铝单板、铝塑板生产成本大大降低，节约建筑成本，降低综合造价。



(2) 轻质高强

背衬材质轻盈，减少了建筑结构的基础负荷，为高层建筑外装提供了良好的选择条件。



(3) 板面平整

采用热压复合工艺，板面平整美观，结构稳定。



(4) 材料可回收

全铝结构，材料可回收再利用，有助于生态环境的保护，实现节能、减排、降耗。



(5) 施工便捷

既可工厂化加工，也可现场加工并快速安装，如遇需求变化，使用简易的工具就可以切割成型，再加工简单，施工经济省时，工程交付有保障。



(6) A2级防火

全铝结构，防火无忧，符合燃烧性能等级GB 8624-2012中A2的规定。



Good Quality and Reasonable Price

Due to the application of three-layer Aluminum composite structure, compared with the same thickness of Solid Aluminum Panel, Aluminum Composite Panel, the production cost greatly reduced, As a result, the construction costs are saved and the overall cost are reduced.



Light weight and high strength

Decorative Back Lining Panel is light, which reduces the foundation load of the building structure and provides a good choice for the exterior decoration of high-rise buildings.



Flatness

Adopting hot-pressing compound technology, the panel surface is flatness and beautiful, and the structure is stable.



Recyclable materials

All aluminum structure are recyclable materials, ecological environment protection, energy saving, emission reduction and consumption reduction.



Convenient construction

It can be processed in factory or on site and installed quickly. If the demand changes, it can be cut and formed by using simple tools. It is easy to reprocessing, economical and time-saving in construction and guaranteed the delivery time of project.



Class A2 fire-proof

All aluminum structure, Superior fire-resistance, meet the combustion performance request of Fire Class A2 as per standard GB 8624-2012 (international standard).

BACK LINING PANEL

SAKURA

背衬板

背衬板由三层铝结构复合而成，是一种集不燃、耐腐蚀、平整、轻质高强、易加工于一体的生态建筑装饰材料。

Back Lining Panel is a kind of ecological building material compounded by three layer Aluminum structure with the advantage of fireproof, anti-corrosion, flatness, Light weight & High strength and easy process.

它采用全铝结构，A2级防火不燃，表面均匀分布3D点阵波纹，视觉上具有精致的立体美感，面板辊涂严选涂层，具有稳定的耐候性及自洁性。

Since it adopts All-Aluminum structure, Fireproof performance can reach Fire Class A2. Evenly distribute 3D lattice ripple on the surface to create a unique three-dimensional beauty visually. The top side of panel is roll-coated with high-quality coating, which has superior weather resistance and self-cleaning property.

可广泛应用于：玻璃幕墙背衬、光伏背衬、家具用材、顶墙内装饰、工业用材等.....

SAKURA Back Lining panel can be widely used for glass curtain wall back lining, photovoltaic back lining, furniture, interior decoration, industrial materials etc.



背衬板应用场景 Application scenarios of Back Lining Panel

NEL

scenes to be used



PHOTOVOLTAIC PANEL APPLICATION SCENARIO




光伏背衬应用场景



二十余年风雨兼程，江西樱花新材料有限公司全力专注于在建筑板材行业不断占据技术的制高点，全员创新的智慧和尽责敬业的工匠精神，对客户需求的深刻理解与对产品质量的严格把关，庄重兑现对客户的每一次承诺，始终是我们不懈追求的目标。

After more than 20 years' struggling process, Jiangxi Sakura New Materials Co., Ltd. is fully focused on continuous occupying the commanding heights of technology in the building material industry, The wisdom of innovation and dedicated craftsmanship , deep understanding of customer' s demand and strictly control of product quality. Honestly fulfilling every promise to our customers is always our unremitting goal.



Persistent Pursuit, Good Service,
We look forward to create
beautiful tomorrow.

江西樱花新材料有限公司
生产基地：江西省南昌市高新技术开发区创新二路1155号
全国服务热线：400-0800-766
E-mail: market@sakurapanel.com
官网： www.sakurapanel.com

Jiangxi SAKURA New Materials Co., Ltd
Add: No.1155, 2nd Chuangxin Road, State High-Tech. Development Zone,
Nanchang, Jiangxi, China. PC: 330096
Tel: +86-791-88162180/88161917/88162161 Fax: +86-791-88162165
Email: alutile@alutile.com; alutile@china126.com



SAKURA